



The Patent Office



The Patent Office PEOPLE
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ



I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.




Signed *AmBrewer*

Dated 12 July 1999



This Page Blank (uspto)

For official use

23OCT98 E399561-1 001298
P01/7700 0.00 - 9823192.1

23 OCT 1998

9823192.1

Your reference
PCS10303JRH-PROV**Notes**

Please type, or write in dark ink using CAPITAL letters. A prescribed fee is payable for a request for grant of a patent. For details, please contact the Patent Office (telephone 071-438 4700).

Rule 16 of the Patents Rules 1990 is the main rule governing the completion and filing of this form.

2 Do not give trading styles, for example, 'Trading as XYZ company', nationality or former names, for example, 'formerly (known as) ABC Ltd' as these are not required.

Warning

After an application for a Patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977 and will inform the applicant if such prohibition or restriction is necessary. Applicants resident in the United Kingdom are also reminded that under Section 23, applications may not be filed abroad without written permission unless an application has been filed not less than 6 weeks previously in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction revoked.

Request for grant of a Patent

Form 1/77

Patents Act 1977

1 Title of invention

PHARMACEUTICAL FORMULATIONS

1 Please give the title of the invention

2 Applicant's details☒ **First or only applicant**

2a If you are applying as a corporate body please give:

Corporate name
PFIZER LIMITED

6892673001

Country (and State of incorporation, if appropriate)

UNITED KINGDOM

2b If you are applying as an individual or one of a partnership please give in full:

Surname


Forenames

2c In all cases, please give the following details:

Address
RAMSGATE ROAD
SANDWICH, KENTUK postcode CT13 9NJ
(if applicable)

Country UNITED KINGDOM

ADP number
(if known)



2d, 2e and 2f:
If there are further applicants
please provide details on a separate
sheet of paper.

☒ **Second applicant (if any)**

2d If you are applying as a corporate body please give:

Corporate name

Country (and State of incorporation, if appropriate)

2e If you are applying as an individual or one of a partnership please give in full:

Surname

Forenames

2f In all cases, please give the following details

Address

UK postcode
(if applicable)

Country

ADP number
(if known)

3

An address for service in the United
Kingdom must be supplied.

Please mark correct box

3 Address for service details

3a Have you appointed an agent to deal with your application?

Yes ☒ No ☐  go to 3b



Please give details below

Agent's name

J.R. HAYLES

Agent's address

PFIZER LIMITED

RAMSGATE ROAD

SANDWICH

KENT

Postcode CT13 9NJ

Agent's ADP
number

6409593002

3b:

If you have appointed an agent,
all correspondence concerning
your application will be sent to
the agent's United Kingdom
address.

3b If you have not appointed an agent please give a name and address in the United
Kingdom to which all correspondence will be sent:

Name

Address

Postcode
ADP number
(if known)

Daytime telephone
number (if available)

23 OCT 1998



OCT 1998

RECEIVED BY FAX

PCS10303J RH-PROV

15(4) (Divisional) ☐ 8(3) ☐ 12(6) ☐ : 7(4) ☐

Filing date
(day.month.year)

The answer must be 'No' if:
- any applicant is not an inventor
- there is an inventor who is not an applicant, or
- any applicant is a corporate body.


8
Please supply duplicates of claim(s), abstract, description and drawing(s).

Please mark correct box(es)

9
You or your appointed agent (see Rule 90 of the Patents Rules 1990) must sign this request.

A completed fee sheet should preferably accompany the fee.

7 Inventorship

7 Are you (the applicant or applicants) the sole inventor or the joint inventors?
Please mark the correct box
Yes ☐ No ☒ 
A statement of inventorship on Patents Form 7/77 will need to be filed (see Rule 15).

8 Checklist

8a Please fill in the number of sheets for each of the following types of document contained in this application:

Continuation sheets for this Patents Form 1/77
Claim(s) Description
Abstract Drawing(s)

8b Which of the following documents also accompanies the application?


Priority documents (please state how many)
Translation(s) of Priority documents (please state how many)
Patents Form 7/77 - Statement of Inventorship and Right to Grant (please state how many)
Patents Form 9/77 - Preliminary Examination/Search
Patents Form 10/77 - Request for Substantive Examination

9 Request

I/We request the grant of a patent on the basis of this application.

Please sign here  Signed James Hayles Date: 23/10/1998
(day month year)

Please return the completed form, attachments and duplicates where requested, together with the prescribed fee to:

 The Comptroller	The Comptroller
The Patent Office	The Patent Office
Cardiff Road	25 Southampton Buildings
NEWPORT	London
Gwent	WC2A 1AY
NP9 1RH	

PCS10303JRH PROV

1

Pharmaceutical formulations

This invention relates to controlled-release oral pharmaceutical formulations of cGMP PDE-5 inhibitors, and to methods of treatment involving them.

5

Controlled-release oral pharmaceutical formulations are known. Their purpose is to modify the rate of drug release, for example to produce a constant rate of release of a drug into the gastrointestinal tract of a patient, or to delay the release of a drug into the gastrointestinal tract of a patient (see 'Sustained and Controlled Release Drug Delivery Systems', pp 3-6, edited by J R Robinson, published by Marcel Dekker Inc).

10

Cyclic nucleotide phosphodiesterases (PDEs) are a family of enzymes that catalyse the degradation of cyclic nucleotides. Cyclic nucleotides, particularly cAMP (i.e. cyclic adenosine 3',5'-monophosphate), are important intracellular second messengers. PDEs are one cellular component that regulates the concentration of cyclic nucleotides. In recent years, at least seven PDE enzymes (such as PDE-1 - PDE-7) as well as many subtypes of these enzymes, have been defined based on substrate affinity and cofactor requirements (Beavo JA and Reifsnyder DH, Trends Pharmacol. Sci. 11:10 [1990]; Beavo J, in: Cyclic Nucleotide Phosphodiesterases: Structure, Regulation and Drug Action., Beavo J and Housley MD (Eds.). Wiley: Chichester, pp. 3-15 [1990]).

15

20

In slightly more detail, examples of PDEs (i.e. cyclic nucleotide phosphodiesterases) include: PDE-1 which is a Ca^{2+} /Calmodulin-dependent PDE; PDE-2 which is a cGMP stimulated PDE; PDE-3 which is a cGMP inhibited PDE; PDE-4 which is a high affinity cAMP-specific PDE; and PDE-5 which is a cGMP specific PDE.

25

It is believed that PDE-5 is an important enzyme in the physiological response to sexual stimulation, and that inhibitors of the enzyme are useful in the treatment of sexual dysfunction.

30


In males, sexual dysfunction may be defined as the inability to obtain or sustain a penile erection adequate for satisfactory sexual intercourse. In females, sexual dysfunction may

PCS10303JRH PROV

2

be defined as deficient physiological response to sexual stimulation and/or a deficient subjective feeling of arousal.

A PDE-5 inhibitor of particular interest is sildenafil {5-[2-ethoxy-5-(4-methyl-1-piperazinylsulphonyl)phenyl]-1,6-dihydro-1-methyl-3-propylpyrazolo[4,3-d]pyrimidin-7-one}, which has the following structure:



The compound was first disclosed in European Patent Application 463756, and its use in the treatment of sexual dysfunction was disclosed in International Patent Application WO 94/28902. A formulation of the citrate salt (VIAGRA™) was made available for the treatment of male erectile dysfunction in a number of countries including the USA in 1998. VIAGRA™ is an immediate release tablet that is administered about 1 hour before an effect is required, and the duration of action is about 4 hours.

The main interest in the art so far has been to provide a fast-acting treatment of sexual dysfunction, which can be administered as soon as possible before sexual activity. For example, International Patent Application WO 98/30209 discloses a rapidly releasing formulation of sildenafil citrate.

According to the present invention, there is provided a controlled-release formulation for oral administration containing a cGMP PDE-5 inhibitor.

Usually, formulations according to the invention will be tablets or capsules that are swallowed. However, the invention also includes buccal formulations (which may be tablets, ointments, gels or patches).

Controlled-release formulations may be divided into sustained-release and delayed- or pulsatile- release formulations.

PCS10303JRH PROV

3

Sustained-release dosage forms release their active ingredient into the gastro-intestinal tract of a patient over a sustained period of time following administration of the dosage form to the patient. Particular dosage forms include:

5

- (a) those in which the active ingredient is embedded in a matrix from which it is released by diffusion or erosion;
- (b) those in which the active ingredient is present in or on a multiparticulate core which is coated with a rate controlling membrane;
- 10 (c) those in which the active ingredient is present in a dosage form having a coating impermeable to the drug, and release is via a drilled aperture;
- (d) those in which the active ingredient is released through a semi permeable membrane, allowing the drug to diffuse across the membrane or through liquid filled pores within the membrane; and
- 15 (e) those in which the active ingredient is present as an ionic exchange complex.

It will be apparent to those skilled in the art that some of the above means of achieving sustained-release may be combined, for example a matrix containing the active compound may be formed into a multiparticulate and/or coated with an impermeable coating provided
20 with an aperture.

Pulsed-release formulations release the active compound after a sustained period of time following administration of the dosage form to the patient. The release may then be in the form of immediate- or sustained-release. This delay may be achieved by releasing the drug
25 at particular points in the gastro-intestinal tract or by releasing drug after a pre-determined time. Pulsed-release formulations may be in the form of tablets or multiparticulates or a combination of both. Particular dosage forms include:

- (a) osmotic potential triggered release (see US patent no 3,951,741);
- 30 (b) compression coated two layer tablets (see US patent no. 5,464,633);
- (c) capsules containing an erodible plug (see US patent no 5,74,784);
- (d) sigmoidal releasing pellets (referred to in US patent no 5,12,621); and
- (e) formulations coated with or containing pH-dependent polymers including shellac, phthalate derivatives, polyacrylic acid derivatives and crotonic acid copolymers.

PCS10303JRH PROV

4

Dual release formulations can combine the active ingredient in immediate release form with additional active ingredient in sustained release form. For example a bilayer tablet can be formed with one layer containing immediate release active ingredient and the other layer containing the active ingredient embedded in a matrix from which it is released by diffusion or erosion. Dual release formulations can also combine drug in immediate release form with additional drug in pulsed release form. For example a capsule containing an erodible plug could liberate drug initially and after a predetermined period of time further drug in immediate- or sustained-release form.

Preferably, formulations according to the present invention are sustained-release formulations. For example, it is preferred that up to 75% by weight of the active ingredient is released from the formulation in the GI tract (or in a model of the GI tract) in a period 1-24 hours following administration, for example 6-18 hours.

An advantage of sustained-release formulations according to the present invention is that a patient receiving them would have improved sexual function for a sustained period of time following administration (such as 6-24 hours, for example 12-18 hours), and so be ready for sexual activity at almost any time. This would allow a more spontaneous sex-life to be pursued.

In addition, it is thought that in male patients at risk of developing sexual dysfunction (for example diabetic patients or patients having undergone nerve sparing radical prostatectomy), the prevalence of nocturnal erections is diminished. Nocturnal erections may play an important role in preserving normal erectile function by providing regular tissue oxygenation thus preventing tissue fibrosis and erectile degeneration. Thus, a cGMP PDE-5 inhibitor delivered to a patient during sleep will increase the ability of at-risk individuals to have nocturnal erections, increase tissue oxygenation, prevent penile fibrosis and thus preserve erectile function or slow its decline. Delayed release formulations may be of particular use in this instance, providing PDE-5 inhibition throughout the sleeping period.

A further advantage of formulations according to the present invention is that side effects may be reduced. For example, although sildenafil offers a safe, effective and generally

PCS10303JRH PROV

5

very well tolerated oral treatment for male erectile dysfunction, dose-related reversible side effects such as headache or visual disturbance at high dosage may limit its use in a minority of patients. Such effects are mediated by systemic exposure to sildenafil following oral administration: thus a formulation with a sustained release profile, which avoids initial high plasma concentrations, could be of great value to these patients.

Preferably, the cGMP PDE-5 inhibitor is sildenafil, or a pharmaceutically acceptable salt thereof (such as the citrate salt).

10 Other cGMP PDE-5 inhibitors (previously mentioned in WO 94/28902) that may be mentioned include:

5-(2-ethoxy-5-morpholinoacetylphenyl)-1-methyl-3-n-propyl-1,6-dihydro-7H-pyrazolo[4,3-d]pyrimidin-7-one (UK-114,542);

15 5-(5-morpholinoacetyl-2-n-propoxyphenyl)-1-methyl-3-n-propyl-1,6-dihydro-7H-pyrazolo[4,3-d]pyrimidin-7-one;

5-[2-allyloxy-5-(4-methyl-1-piperazinylsulphonyl)phenyl]-1-methyl-3-n-propyl-1,6-dihydro-7H-pyrazolo[4,3-d]pyrimidin-7-one;

5-{2-ethoxy-5-[4-(2-propyl)-1-piperazinylsulphonyl]phenyl}-1-methyl-3-n-propyl-1,6-dihydro-7H-pyrazolo[4,3-d]pyrimidin-7-one;

20 5-{2-ethoxy-5-[4-(2-hydroxyethyl)-1-piperazinylsulphonyl]phenyl}-1-methyl-3-n-propyl-1,6-dihydro-7H-pyrazolo[4,3-d]pyrimidin-7-one;

5-{5-[4-(2-hydroxyethyl)-1-piperazinylsulphonyl]-2-n-propoxyphenyl}-1-methyl-3-n-propyl-1,6-dihydro-7H-pyrazolo[4,3-d]pyrimidin-7-one;

25 5-[2-ethoxy-5-(4-methyl-1-piperazinylcarbonyl)phenyl]-1-methyl-3-n-propyl-1,6-dihydro-7H-pyrazolo[4,3-d]pyrimidin-7-one; and

5-[2-ethoxy-5-(1-methyl-2-imidazolyl)phenyl]-1-methyl-3-n-propyl-1,6-dihydro-7H-pyrazolo[4,3-d]pyrimidin-7-one.

30 The following cGMP PDE-5 inhibitors (previously mentioned in WO 97/03675 to Laboratoire Glaxo Wellcome SA) may also be mentioned:

(6R,12aR)-2,3,6,7,12,12a-hexahydro-2-methyl-6-(3,4-methylenedioxyphenyl)-pyrazino[2',1':6,1]pyrido[3,4-b]indole-1,4-dione; and

(3S,6R,12aR)-2,3,6,7,12,12a-hexahydro-2,3-dimethyl-6-(3,4-methylenedioxyphenyl)-pyrazino[2',1':6,1]pyrido[3,4-b]indole-1,4-dione.

PCS10303JRH PROV

6



Preferably, the formulation is a matrix tablet, and contains hydroxypropylmethyl cellulose. Preferably, the hydroxypropylmethyl cellulose has a number average molecular weight in the range 80,000-250,000. Preferably, the hydroxypropylmethyl cellulose has a degree of methyl substitution in the range 19-30%. Preferably, the hydroxypropylmethyl cellulose has a degree of hydroxy substitution in the range 7-12%. A number of hydroxypropylmethyl cellulose polymers are available commercially under the brand name Methocel™, and some of those suitable for use in formulations according to the invention are given in the table below:

Methocel™ grade	Number average MW	Degree of methyl substitution	Degree of hydroxy substitution	Nominal viscosity of a 2% aqueous solution	USP designation
K4M	89000	19-24%	7-12%	4000cps	2208
K15M	125000	"	"	15000cps	"
K100M	215000	"	"	100000cps	"
E4M	93000	28-30%	7-12%	4000cps	2910
E10M	113000	"	"	10000cps	"
F4M	90000	27-30%	4-7.5%	4000cps	2906

Methocel™ K4M has characteristics of particular interest.

It will be apparent to those skilled in the art that the hydroxypropylmethyl cellulose may consist of molecules of different chain lengths, but that the average chain length gives a molecular weight in the range stated.

Formulations according to the present invention may contain a buffering agent. This is particularly useful when the formulation contains sildenafil citrate. A buffering agent of particular interest is aspartic acid. When it forms part of a matrix tablet, aspartic acid acts as a buffering agent to maintain a low pH at the surface of the tablet. Because sildenafil citrate has a low solubility at pH values greater than 6, the acid keeps the drug relatively soluble during the transit of the tablet through the GI tract. When present, aspartic acid will typically make up 15-30% by weight of the formulation.

PCS10303JRH PROV

7

Usually, the formulations of the present invention will include tableting excipients, for example colloidal anhydrous silica, polyvinylpyrrolidone, lactose and magnesium stearate. Lactose is of particular interest, and when present it will typically make up 10-40% by weight of the formulation.

Formulations according to the invention may be provided additionally with a cosmetic coating; for example a coating comprising a pigment, a plasticizer and a polymer such as OPADRY™ (manufactured by Colorcon), or a sugar coating. Such coatings do not substantially affect the performance of the formulation, but enhance its presentation. Such coatings may be applied by spraying tablet cores with a solution of the components, using conventional techniques.

Preferably, in formulations according to the present invention, the cGMP PDE-5 inhibitor makes up 5-50% by weight of the formulation.

Preferably, in formulations according to the present invention, the hydroxypropylmethyl cellulose makes up 10-50% by weight of the formulation.

Preferably, in formulations according to the present invention, the rate at which the cGMP PDE-5 inhibitor is released therefrom is substantially independent of the pH of the surroundings.

The present invention also provides a process for the production of a pharmaceutical formulation containing hydroxypropylmethyl cellulose, which includes the steps of mixing the cGMP PDE-5 inhibitor and hydroxypropylmethyl cellulose; and pressing into tablets.

The invention further provides the use of a cGMP PDE-5 inhibitor in the manufacture of a formulation for the treatment or prevention of sexual dysfunction; characterized in that, following administration, the formulation releases the inhibitor over or after a sustained period of time. Consequently, following administration, the mammal's sexual function will be substantially improved for or after a sustained period of time.

Usually, the mammal will be a human, but administration to other mammals, such as horses, is contemplated.

A "sustained period of time" in relation to the improvement in sexual function is a period of time such as 6-24 hours, for example 12-18 hours.

The invention further provides a method of treating or preventing sexual dysfunction, which comprises administering a controlled-release formulation of a cGMP PDE-5 inhibitor to a mammal in need of such treatment or prevention. Consequently, the mammal's sexual function is substantially improved for or after a sustained period of time.

The invention further provides a method of improving sexual function in a mammal, which comprises administering a sustained-release formulation of a cGMP PDE-5 inhibitor to the mammal. Consequently, the mammal's sexual function is substantially improved for a sustained period of time.

The invention is illustrated by the following examples with reference to the accompanying drawing, in which Figure 1 shows the percentage of drug compound released vs time from a formulation prepared according to Example 1 under three different pH conditions.

Example 1

Sustained release formulation of sildenafil citrate

Component	Weight per 450mg matrix tablet (mg)
Sildenafil citrate (69.1% Activity)	144.72
L-Aspartic acid	100
Methocel™ grade K4M	67.5 (15%)
Lactose Fast-flow	133.28
Magnesium Stearate	4.5

Method

1. Blend components, less magnesium stearate, for 10 minutes in a turbula
2. Screen through a 500µm sieve

PCS10303JRH PROV

9

61

3. Add 26% water (by weight) with blending
4. Screen through a 1.7mm sieve
5. Dry resulting granules in a vacuum oven at 40°C, 207 kPa (300 psi) until the moisture level is returned to original value
- 5 6. Screen through a 1.0mm sieve
7. Add magnesium stearate and blend for 5 minutes
8. Press into tablets using 11mm normal concave tablet tooling

Example 2

10 Dissolution studies

Formulations prepared in Example 1 were dissolved using Apparatus 1 (baskets) described in United States Pharmacopeia 23 (1995), page 1791, in an aqueous buffer of pH 2 (composition 0.01M HCl and 0.12M NaCl), an aqueous buffer of pH 4.5 (composition 0.06M KCl, 0.03M NaCl and 0.006M KH₂PO₄) and in an aqueous buffer of pH 7.5 (composition 0.06M KCl, 0.03M NaCl, 0.006M KH₂PO₄ and 0.005M NaOH). The dissolution fluid volume was 1 l in the case of pH 2 and pH 4.5, but 5 l in the case of pH 7.5 (also replaced periodically), the temperature was 37°C, the rotation speed of the baskets was 100 rpm, and the drug compound released was detected by UV spectroscopy.

20 The percentage of drug compound released v time is shown in Figure 1.

It can be seen that the release profiles at the three pH values are almost identical, indicating that the formulation is likely to give a steady, sustained rate of release of drug over a sustained period of time when administered orally to a patient.

PCS10303JRH PROV

10

Claims:

1. A controlled-release formulation for oral administration containing a cGMP PDE-5 inhibitor.
- 5 2. A formulation as claimed in claim 1, which is a sustained-release formulation.
3. A formulation as claimed in claim 1 or claim 2, wherein the cGMP PDE-5 inhibitor is sildenafil, or a pharmaceutically acceptable salt thereof.
4. A formulation as claimed in any one of the preceding claims, which contains sildenafil citrate.
- 10 5. A formulation as claimed in any one of the preceding claims, which also contains hydroxypropylmethyl cellulose.
6. A formulation as claimed in any one of the preceding claims, which also contains a buffering agent.
7. A formulation as claimed in claim 5 or claim 6, wherein the hydroxypropylmethyl
15 cellulose has a number average molecular weight in the range 30,000-250,000.
8. A formulation as claimed in any one of claims 5 to 7, wherein the hydroxypropylmethyl cellulose has a degree of methyl substitution in the range 19-30%.
9. A formulation as claimed in any one of claims 5 to 8, wherein the hydroxypropylmethyl cellulose has a degree of hydroxy substitution in the range 7-12%.
- 20 10. A formulation as claimed in any one of the preceding claims, which is provided with a cosmetic coating.
11. A formulation as claimed in any one of the preceding claims, wherein the cGMP PDE-5 inhibitor makes up 5-50% by weight of the formulation.
12. A formulation as claimed in any one of claims 5 to 11, wherein the
25 hydroxypropylmethyl cellulose makes up 10-50% by weight of the formulation.
13. A formulation as claimed in claim 4, characterized in that the rate at which the cGMP PDE-5 inhibitor is released therefrom is substantially independent of the pH of the surroundings.
14. A process for the production of a formulation as defined in claim 5, which includes
30 the steps of mixing the cGMP PDE-5 inhibitor and hydroxypropylmethyl cellulose; and pressing into tablets.
15. Use of a cGMP PDE-5 inhibitor in the manufacture of a formulation for the treatment or prevention of sexual dysfunction; characterized in that, following

PCS10303JRH PROV

11

1

administration, the formulation releases the inhibitor over a sustained period of time.

16. The use of claim 15, characterized in that, following administration, the mammal's sexual function is substantially improved for or after a sustained period of time.

5 17. A method of treating or preventing sexual dysfunction, which comprises administering a controlled-release formulation of a cGMP PDE-5 inhibitor to a mammal in need of such treatment or prevention.

18. The method of claim 17, characterized in that, following administration, the mammal's sexual function is substantially improved for or after a sustained period of time.

10 19. A method of improving sexual function in a mammal, which comprises administering a sustained-release formulation of a cGMP PDE-5 inhibitor to the mammal.


20. The method of claim 19, characterized in that, following administration, the mammal's sexual function is substantially improved for a sustained period of time.



This Page Blank (uspto)

12

PCS10303JRH PROV





This Page Blank (uspto)